



## Digital Receipt

This receipt acknowledges that **Turnitin** received your paper. Below you will find the receipt information regarding your submission.

The first page of your submissions is displayed below.

Submission author: **Nurus Sakinah**  
Assignment title: **Nurus Sakinah**  
Submission title: **ParentingStressofMothersin Childre...**  
File name: **ICSEAS..pdf**  
File size: **510.98K**  
Page count: **21**  
Word count: **8,196**  
Character count: **45,873**  
Submission date: **01-Oct-2019 08:10PM (UTC-0700)**  
Submission ID: **1184310084**



The 1st ICSEAS 2019  
The 1st International Conference on South East Asia Studies, 2019  
Volume 2019



Engaging minds

Conference Paper

**Parenting Stress of Mothers in Children with Autism Spectrum Disorder: A Review of the Culture in Indonesia**

Nurussakinah Daulay

Doctoral Program, Faculty of Psychology, Universitas Gadjah Mada, Jl. Humaniora, Bulaksumur, Yogyakarta-55281, Indonesia.

**Abstract**

Culture is a set of beliefs on the individual in a group. Culture also provided the means for interaction between parents and children. Cultural diversity in each country influences the way parents in caring for their children. There are some cultures that people, in general, have accepted the condition of children with autism spectrum disorders, but the community hasn't been able to accept the presence of these children, so that will affect the acceptance and the joys of motherhood within the optimizing growing flower child. However, not all mothers are able to accept her daughter and happy with her care to experience the stress of caregiving. Indonesia with the complexity of culture also influenced the style of mothering, as two large tribes in Indonesia i.e. Batak and Javanese. The purpose of this study is to explore the issues about parenting stress and positive emotions in mother with autism spectrum disorder in Javanese and Batak culture.

**Keywords:** Autism Spectrum Disorder, Batak, Cross-cultural Parenting, Javanese, Mother, Parenting Stress

**1. Introduction**

Autism spectrum disorders (ASD) are neurodevelopmental disorders characterized by deficits in language and communication, social interaction, play and imagination, with the presence of restricted interests and stereotyped behaviors [1]. The diagnostic criteria in the DSM-IV-TR [2], it is used to assess children on each of three domains associated with the disorder (stereotyped behavior, communication, and social interaction). In the DSM-5 [1], autistic disorder is seen as a single entity and converted into a spectrum that covers all pervasive developmental disorder except the Rett disorder, and to assess children on each of two domains associated with the disorder (impaired in social communication and stereotyped behavior).

**OPEN ACCESS**

How to cite this article: Nurussakinah Daulay, (2019), "Parenting Stress of Mothers in Children with Autism Spectrum Disorder: A Review of the Culture in Indonesia" in The 1st International Conference on South East Asia Studies, 2019, KriE Social Sciences, pages 452-473. Page 453  
DOI:10.18921/krii.v1i2.1349

# Parenting Stress of Mothers in Children with Autism Spect

*by* Nurus Sakinah

---

**Submission date:** 01-Oct-2019 08:10PM (UTC-0700)

**Submission ID:** 1184310084

**File name:** ICSEAS..pdf (510.98K)

**Word count:** 8196

**Character count:** 45873

## Conference Paper

# Parenting Stress of Mothers in Children with Autism Spectrum Disorder: A Review of the Culture in Indonesia

Nurussakinah Daulay

Doctoral Program, Faculty of Psychology, Universitas Gadjah Mada, Jl. Humaniora, Bulaksumur, Yogyakarta-55281, Indonesia.

## Abstract

Culture is a set of beliefs on the individual in a group. Culture also provided the means for interaction between parents and children. Cultural diversity in each country influences the way parents in caring for their children. There are some cultures that people, in general, have accepted the condition of children with autism spectrum disorders, but the community hasn't been able to accept the presence of these children, so that will affect the acceptance and the joys of motherhood within the optimizing growing flower child. However, not all mothers are able to accept her daughter and happy with her care to experience the stress of caregiving. Indonesia with the complexity of culture also influenced the style of mothering, as two large tribes in Indonesia i.e. Batak and Javanese. The purpose of this study is to explore the issues about parenting stress and positive emotions in mother with autism spectrum disorder in Javanese and Batak culture.

**Keywords:** Autism Spectrum Disorder, Batak, Cross-cultural Parenting, Javanese, Mother, Parenting Stress

## 1. Introduction

Autism spectrum disorders (ASD) are neurodevelopmental disorders characterized by deficits in language and communication, social interaction, play and imagination, with the presence of restricted interests and stereotyped behaviors [1]. The diagnostic criteria in the DSM-IV-TR [2], it is used to assess children on each of three domains associated with the disorder (stereotyped behavior, communication, and social interaction). In the DSM-5 [1], autistic disorder is seen as a single entity and converted into a spectrum that covers all pervasive developmental disorder except the Rett disorder, and to assess children on each of two domains associated with the disorder (impaired in social communication and stereotyped behavior).

Corresponding Author:

Nurussakinah Daulay  
nurussakinah.daulay@mail  
.ugm.ac.id  
inadaulay82@gmail.com

Received: 2 April 2018

Accepted: 17 April 2018

Published: 23 May 2018

<sup>1</sup>  
Publishing services provided by  
Knowledge E

<sup>1</sup>  
Nurussakinah Daulay. This article is distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use and redistribution provided that the original author and source are credited.

Selection and Peer-review under the responsibility of the 1st ICSEAS 2016 Conference Committee.

 OPEN ACCESS

**How to cite this article:** Nurussakinah Daulay, (2018), "Parenting Stress of Mothers in Children with Autism Spectrum Disorder: A Review of the Culture in Indonesia" in *The 1st International Conference on South East Asia Studies, 2016*, KnE Social Sciences, pages 453-473. Page 453  
DOI 10.18502/kss.v3i5.2349

The term spectrum showed that the symptoms of this disorder different in every child. There are children whose symptoms are mild and only a little in need of help from the environment, they can speak despite the difficulties in maintaining a reciprocal communication with others, or they can accept change even though they prefer to routine activities. There are also children whose symptoms are very severe and require enormous support from the environment, i.e. they are not able to express what they think or feel, behavioral tantrums, and unable to respond to others.

Weighing disorders experienced by children with autism can lead parenting stress experienced by parents. According to Sharpley et al. [3], the three most stressful factors associated with parenting a child with autism are (i) concern over the permanency of the condition; (ii) poor acceptance of autistic behaviors by society and, often, by other family members; and (iii) the very low levels of social support received by parents. In the most recent meta-study, Hayes and Watson [4] explain that there is a high parenting stress in parents of children with autism spectrum disorder than parents of children with normal development and children with Down syndrome. The presence of a positive association between autism spectrum disorder and stress is common in older people [5-9].

The stress experienced by mothers can be a negative influence, both in the elderly and in children. For mother with autism, stress can lead to decreased quality of care provided the mother to the child [10], causing dissatisfaction in the marriage relationship [11-13], increases the risk of poor mental health [14], maladaptive parenting practices [15], and difficulty with the implementation of behavioral interventions for reviews their children [16]. For children with autism, stress may affect the child's developmental level [14], negative effects can include sub-optimal treatment outcomes [17], increases behavior problems [18], causing an improvement of emotional and behavioral problems [10], and can reduce the effectiveness of the intervention given to children [19].


The purpose of this article is to explore issues surrounding parenting stress and positive emotions in a mother with autism spectrum disorder in the two largest tribes in Indonesia, and how the relationship between maternal parenting stress on two such different cultures and cross-cultural psychology.

## 2. Parenting Stress and Culture

The cultural definition varies, Kitayama and Cohen [20] explained that <sup>2</sup> if we are to understand the relationship of culture to psychopathology, it is critical that we first understand the concept of culture. Culture is: (i) temporary (e.g. situational, just for a few minutes); (ii) the eternal (e.g. lifestyle ethnocultural), in all respects, namely (iii) dynamic (e.g. change and modify the subject). Culture represents (iv) internally (e.g. values, beliefs, attitudes, images, symbols, orientations, epistemological, consciousness <sup>13</sup> levels, perceptions, expectations, personhood), and (v) externally (e.g. artifacts <sup>12</sup> roles, institutions, social structures). Culture is (vi) the shape and construct our reality (e.g. they contribute to our world view, perception, and orientation), and with this, the critical conceptual frameworks (e.g. normal-abnormal, morality, aesthetics).

Culture provides niche developments include: (i) the physical and social backgrounds for parents and children; (ii) the psychological character that is valued by parents and children; and (iii) recommended practices for family members. Thus, culture shapes the behavior of a broad range of care, from the common values which taught parents to real aspects of daily life [21]. Culture provides a way to see the world and together with other influences, determine patterns of feelings and behaviors every day.

So, how the relation between culture and maternal parenting stress? Before answering this question, it will be discussed a little about parenting stress is a part of psychopathology. Mothers who experience anxiety, withdrawal, depression can be caused by a stressor during the process of care, mothers who are not able to cope with the stressor is added again the mother has an introverted personality, resulting in significant parenting stress, disorders of psychological and abnormal behavior (like the case of a mother who can kill her own child because children have disabilities). Abnormal behavior of the mother has had a mental disorder. Kitayama and Cohen <sup>7</sup> [20] revealed that the role of cultural factors in the etiologic of mental disorders is complex and varies as a function of the particular disorder and its plasticity. As far as mental disorders have a strong biological effect (e.g. a particular form of depression), interference is strong evidence of cross-cultural homogeneity because of biological similarities, and the effect can be minimized. Although mental disorders are influenced and shaped by the context of learning and other factors, so it has more plasticity behavioral, cultural factors have a critical role in it, it can be concluded that there is a close connection between the cultures in maternal parenting stress.



**Figure 1:** Cultural variations in mental disorders as a function of biological penetration and behavioral plasticity [20].

Cultural factors have been demonstrated to influence and shape mental disorders through a number of factors [22]:

- Culture determines the types and parameters of physical and psychosocial stressors
- Culture determines the types and parameters of coping mechanisms and resources used to mediate stressor
- Culture determines basic personality patterns, including, but not limited to, self-structure, self-concept, and needs/motivation systems
- Culture determines the language system of an individual, and it is a language that assists us in the perception, classification, and organization of responses to reality
- Culture determines the standards of normality, deviance, and health of an individual and society. It influences health ideology and attitudes, as well as treatment orientation and practices.
- Culture determines classification patterns for various disorders and diseases. In this respect, all mental disorders are culture specific, and not simply those designated by Western professionals as exotic disorders.
- Culture determines the pattern of experience and expression of psychopathology, including factors such as onset, manifestation, course, and outcome.

Based on Figure 1 it can be explained that a person who has mental disturbance to acute, such as depression, stress, anxiety disorder, influenced by cultural variation. There are two main roles of cultural variation in influencing one's behavior, namely: i) biological penetration, is the role of the individual in filtering the influx of outside



cultures affecting his environment and life, and ii) behavioral plasticity, is the ability of individuals to adapt themselves to new environmental conditions. The cultural differences and values that individuals associate will play an important role in influencing the rational value and self-awareness of each individual. In the case of mothers who have children with complex developmental disorders such as autism, are very susceptible to stressful parenting. Experience the stress of parenting in mothers who have children with autism spectrum disorders, in each country experienced a high degree of parenting stress compared to the care of mothers who have children with other developmental disorders

In Indonesian culture, parenting stress can be minimized by religious coping. Religious coping is one way of coping with the source of stress present through religion. Religion and spirituality have been shown to contribute positively to the process of meaningfulness of life in different ways, such as religion providing support for coping stress, and religion can make mothers and families grateful and positively interpret the presence of children with autism spectrum disorders. Similarly, with research conducted by Corrigan et al. [23] found that religious engagement has a positive relationship with psychological well being. Indonesia is a country with a majority population is a Muslim, so that the religious coping is done by interpreting the teachings of Islam, such as regular worship of God, such as praying, fasting, and reading the Koran. Religious clippings that have been done is able to minimize the stress of mother and family care, and able to interpret the presence of children is a gift.

For mothers who have children with autism spectrum disorders in Indonesia, has its own uniqueness in understanding the presence of children with autism. The role of religious coping is the main thing that makes mothers able to survive the difficulties and pressures of life. In addition to religious coping, there is an informal social support role (eg family, community of mothers with autistic children, friends) and formal support (eg autism schools, autistic service centers, hospitals) that contribute positively to subjective wellbeing and are able to reduce the parenting stress of mother. Indonesia is an Eastern culture that is collectivist in contrast to the individualistic Western culture. The prominent features of collectivist culture are emphasizing the interdependence of individuals, preferring family connections, cooperation, solidarity, conformity, harmony, commitment to parents and extended family, simplicity, frugality and the welfare of others [24]. The role of religious coping and social support received by mothers is a special feature that mothers feel during autistic child care, so this can reduce the parenting stress of mother and not affect mental disorders.

Mental disorders, depression and maternal stress during caring for their children with autism spectrum disorders can also be explained in Figure 2, when social changes arising from the emergence of a new culture, the mother will remain able to withstand the source of stress (eg child behavior autism, high cost of treatment of children with autism, negative stigma from the community). In Indonesian society, mothers who have given birth and care for children with autism spectrum disorders are considered as someone who has sin in the past, and is a disgrace to the family, children with autism can cause contagious diseases for other children. When there are cultural changes, plus the mother also does not have a strong personality in addressing life issues, and lack of social support, it has the potential to bring parenting stress. The existence of negative stigma from the community in Indonesia has also been conducted by Tucker [25], based on the results of his research for a year in Indonesia, Tucker [25] revealed that in the 1990s parents in Indonesia still consider children with autism spectrum disorder is as a family shame (*aib keluarga*) to be known to the general public.




Figure 2: Sociocultural pathways to distress, deviance, and disorder [26].

The concept of the above framework is important if it is associated with the role of cross-cultural in influencing mental disorders mother, because in the age of globalization, traditional culture exposed to Western culture and social change very fast, people leaving the local culture without ethnic identity that is strong and sustainable with their past, which ultimately resulted in conflict, confusion, and despair [26].

Parenting stress can create or exacerbate physical and psychological vulnerabilities, whereby the distress that arises from the day-to-day strain of caregiving becomes a crucial aspect of the mental health and functioning of parents and children themselves, and the functioning of their relationships with each other. Parenting stress includes subjective experiences of distress such as emotional pain and anxiety. It also includes parents' thoughts, beliefs, and attributions [27]. Time pressure, limited aid resources or



financial resources are difficulties that can cause stress. The events of stress, enormous pressures are felted can reduce the immune system and cause trouble one's body to fight disease. This is because stress is a heavy demand or experienced individual or family systems that can generate tension, anxiety, and need a way out to deal with it [28].

Child rearing stress experienced by parents in assisting their children, especially in families at high risk for clinical problems children face. The use of parenting stress index to see how the parents have difficulty in dealing with her problems, the personality of parents (marital satisfaction, the role of parents, psychological well-being, and economic pressure) and difficulties of life, the characteristics of children and family size [29].

In spite of there are much research that highlights the mothers, the father<sup>26</sup> of children with autism spectrum disorder, also experience stress, although lower levels. The importance of the mother also has been studied, including by Gray [30] that there was evidence suggesting that the burden of parenting more weight falls on mothers than fathers [31] and mothers will feel more suffer emotionally cause of that load [32]. Generally, parents of autistic children reported more psychological problems than other parents, and some of them are experiencing feelings of isolation. The challenges of stress were also commonly perceived are depression, anxiety, and anger [33]. Related to parenting<sup>19</sup> stress in mothers of children with autism can be concluded that the stress experienced by the mother in the parenting process involving a series of ways the behavior of children with autism are not controlled, such as showing excessive behaviors (excessive) and the behavior of the needy (deficit) coupled with unstable emotions, poor communication skills both verbal and non-verbal, and the lack of social interaction.

### 3. Parenting Stress and Neuropsychology

Good parenting involves qualities that both protect the child's developing brain (referred to as neuroprotective factors) and stimulate brain growth (growth-enhancing factors). Good parenting from a brain-based perspective are: i) being sensitive and emotionally responsive to children's needs for attention; ii) comforting children effectively and consistently when they are stressed out (what clinicians refer to as co-regulation of affect); iii) being a good first companion as children are initially learning how to enjoy and stay connected to other people; iv) knowing when to let kids struggle

and work through challenges to build their own resilience; v) protecting children from the dysregulating effects of our own negative emotions by using our powers of self regulation and stress management [34].

Culture and brain historically have often been subjected to various forms of discourse. However, a growing recognition of the extent of brain plasticity, the evolutionary basis of cognition, and the evolution of culture and the brain explained that culture and nerve processes have been established. Recent studies on the way in which the behavior of individuals within a group or in different groups and in the underlying nerve function, thus paving the way emergence of a new field is neuroscience culture. Among the many functions of the brain, the brain is the link to activate social behavior and to adapt to social grouping and a new pattern. Some of this interface is the result of the coevolution of culture and the brain. Cultural practices adapt to the constraints of the nerve, and the brain adapts to cultural practices. Other circuits are the link as a result of learning, especially learning implicitly. The brain is a sponge culture, a culture organ, and function in facilitating the interaction of physical and social world [35].

The case of parenting stress, which is associated with the condition of the mother who suffered from depression has a strong influence and relationships in cognitive function (especially executive function) would be low. Individuals who are depressed, it will relate to maladaptive in controlling and regulating cognitive processes. Perform failure is evidence of cognitive control, including direct attention, setting behavior, strategy formulation, planning, monitoring performance and coding in the working memory [36]. The cognitive concept is widely used in the area of the frontal lobe [37] and a malfunction in the frontal lobe to trigger the onset of depression [36]. Neurobiological Model explained that the possibility of depression mediated by a decrease in prefrontal dorsolateral (cognition) and increased ventrolateral (affection) the activity of the prefrontal cortex [38].

The relationship between neuropsychological against maternal parenting stress can also be seen on brain function in influencing the behavior of the mother, particularly in the frontal lobe. The frontal lobe functions to be responsible for planning a series of behavior and for some aspects of memory and emotional expression [39]. Individuals who suffered damage to the frontal lobe, especially in the prefrontal cortex, then the individual is not able to follow the given context so that they behaved inappropriately and impulsively [40]. In essence, research on the parental brain shows that human parenting rests squarely on a core foundation of mammalian caregiving, to which added

the uniquely human powers of self understanding, "people reading", reflection, emotion regulation, and capacity for growth and change in response to new experiences in life. The human brain link the core system of caregiving inherent in all mammals to prefrontal cortex (a 'higher' set of brain regions that are more developed in humans) to form a dual-level parenting system. This dual-level functioning allows human, to experience the deepest, most heartfelt emotions about the children while also being able to think clearly and creatively about all aspects of parenting, constructing rich meaning and a sense of purpose about human's precious roles as parents [34].

Overall, it can be concluded that there is a link between Neuropsychology and culture in influencing a person experiencing depression. Cultures like the neighborhood where someone lives will also affect the severity depressed. In Indonesia, cases of children with autism are still not getting a positive response in society. The lack of knowledge and socialization of autism developmental disorder, affects the attitude of society to accept the presence of autistic children in their neighborhood. The presence of an autistic child in a family is still regarded as a curse in the family, and considers children with autism as a crazy child. This, of course, will affect maternal acceptance of the limitations of autistic children, mothers who are not ready to accept the <sup>17</sup>presence of a child with autism will have an impact on the care of mother to child is not optimal.

#### 4. Cultural Views about Autism

The number <sup>8</sup> of children with autism in every country around the world continues to increase. One of the most severe disabilities affecting young children is autism, a disorder that adversely affects nearly every aspect of the child's development [41]. In 2012, the Centres <sup>16</sup> for Disease Control and Prevention [42] reported the prevalence of autism spectrum disorder is 1 in 88 children, later in 2014 that the development of autistic disorder is made up of <sup>25</sup> 1 in 68 children in the United States. Similarly, in Indonesia also increased the incidence of autism from year to year. Based on reports from Autism Centre, in 1995 the <sup>10</sup> prevalence of children diagnosed with autism is 1 in 500 children, and then in 2013 the <sup>10</sup> prevalence of children diagnosed with autism is 1 in 50 children [43].

In women who care for children with autism, the complexity of the interference experienced by the child and public attitudes in certain cultures, differences in accepting or rejecting the presence of children, often mothers face difficulties making the weight so that disruption to the psychological condition of the mother. Psychological

problems experienced by the mother can affect negatively, both in children and the family as a whole.

Guided by a sociocultural approach suggests that the meaning and experience of any disability will be shaped not just by individual deficits, but also by the responses of caregivers and family members who avail themselves of the treatments, services and frameworks of meaning available [44]. Researched by Tucker [25] aimed to gain a basic understanding of all three of these dimensions that frame autism and autistic symptoms across Indonesia. He contends that autism's meaning is shaped by the responses of primary caregivers and family members and their social interactions with the autistic person, the treatments and interventions available for families and individuals, and a variety of media that influences the popular conception of what autism is and how people with autism should be responded to.

The public history of autism in Indonesia seems to have begun in the late 1990's. Tucker [25], in his research about "Interpreting and Treating Autism in Javanese Indonesia" explained that individual parents with developmentally different children and little resources available to them to help interpret their behavior or support their learning began to conduct independent Internet research, travel abroad to study psychology and special education, compile libraries of relevant materials that they could share with others, autism at that point was still very much seen as a family shame (*aib keluarga*).

Research conducted in China by Ling, Mak, and Cheng [45] showed that parenting stress at high levels reported is the Chinese parents who have children with ASD. There ASD labelling provisions of <sup>24</sup> social stigma to Chinese parents with ASD children, many parents feeling is that they do not want others to know if they have children [45]. The negative perception of disability of children associated with high stress on the mother's parenting from ASD children in China, and as a cause of low self-esteem of parents [46]. Mother in China had a negative feeling about the concerns of ASD children associated with lower quality of life [47]).

In urban areas in South Korea, some families, especially parents with children who have developmental delays will be hard to avoid *chapae* diagnosis (autism). There is a stigma that is so strong in this country that many doctors Koreans deliberately misdiagnose these children with *aechak changae*, or reactive detachment withdraw from social disorder- caused by the extreme neglect or abuse by parents. In South Korea, individuals with all types of individuals who experience disabilities have stigmatized and seen as a threat to family [48]. Description of the development of disabled individuals who have limitations because of the population and the media may be



seen as violent, dangerous and depressing [49]. Confucian beliefs require children to care for their parents, <sup>3</sup> children with special needs are deemed unable to care for and respect their parents correctly [50]). Some people believe that people with disabilities occurred because of past generations have chosen the family members who do not take proper care of the graves of their parents [51].

Autism in India is also seen as a disability in general. Traditionally, there is a stigma attached to disabilities (feelings of guilt, shame, focusing on the lack of adequate parental care). Autism comes from the unusual behavior, bolstered belief what affect children. History explains stigma to ensure that families hide their strange children, the family also do not function in society, and there is a presumption of ignorance and superstition [52].

In Taiwan, parents with ASD children, experience mental health problems such as obsessions and compulsions, paranoia, hostility, and some have a case of schizophrenia [11]. The <sup>23</sup> parents of ASD children also appear to have higher levels of fatigue when compared with other parents [53]. <sup>29</sup> In a study conducted by Huang et al. [54] there is a positive correlation effect of marriage for families in Taiwan who have children with disabilities. The husband can accept children with limitations. She also shared that their husbands are more attentive to them and show more concern for their child. They also <sup>18</sup> reported that the stress of the care of children with disabilities adds strength in their marriage. However, the same study also conducted by Huang et al. [54], showed that there are still negative emotions in man, approximately 20% of participants reported that their marriage ended in divorce because their husbands hold values more traditional and believe <sup>22</sup> it a child with a disability brings shame to the family.

The purpose of this article seeks to study about the emotional state and how the role of parenting mother with children autism in every culture in Indonesia. Indonesia is a country that has a rich variety of cultures. Culture in Indonesia is influenced by the tribes there. One of the tribes that dominate in Indonesia is Batak and Javanese. Casmini [55] emphasizes that a cross-cultural study found that the influence of the culture of parenting. Indonesian society is a society that is more about a family function and religiosity. Support of the nuclear family (such as grandparents, couples, families, couples) can be an asset for the mother in relieving anxiety and stress of caring for children with autism. Good understanding of religiosity is manifested in the form of patient, sincere, submissive and grateful to have a child with autism and consider this



a trial from God. Having a positive personality in them may also help mothers stay afloat and resilient in taking care of children.

## 5. Indonesia's Cultural Views about Autism

Based on exploratory research will be a strong personality that has been done against the <sup>3</sup>mothers of children with autism in Javanese and Batak culture in Indonesia, women experience negative emotions and positive emotions in the process of parenting. Negative emotions like sadness, rejected, anxiety, anger, self-blame, shame, and stress after a child was diagnosed with autism, but with the support of various stakeholders such as the family and the husband, as well as increased knowledge of the mother in the understanding of this developmental disorder, the mother is able to accept the limitations child. Positive emotions such as sincere, patient and grateful will be appearing in a different process for each mother, depending on the severity of the child, whose mother received social support, type personality, as well as the role of culture in influencing mothers, bring a sense of sincerity, patient and grateful to have a child with autism.

In Javanese culture in which includes cultural values that underlie the personality of Java and the Java society. In the Java society, people should remember (mindful) to Allah (*God almighty*) and always be introspective (alert). People should entrust themselves to the guidance of The Divine (*pracaya*) and trust Him (*mituhu*). Anyone who applies so, then by itself will find an appropriate way in addressing all the things that happened. Typical attitudes that need to be instilled in are patiently, *nrima*, *iklas* (*rila*), honest (*friends*), and simple (*prajaja*). *Iklas* means "willing to" let the "ego" go and adjust to the universe as it has been determined. *Nrima* means being able to react rationally when experiencing hardship or disappointment does not collapse and opposed in vain. Patience is the mark of a good leader; he advanced with caution [56].

Emotional intelligence and healthy personality in the context of Javanese culture, explained that in real life the Java society, there is the belief that all human life in this world is already regulated by the Almighty, so that it appears the attitude of *rila*, *nrima*, and patience as well as basic manners of the people of Java and their underlying personality [57]. Mutual awareness of the Java community believes that the Javanese culture has values that underlie the personality of the person and society [55]. One of the cultural values which are known and widely adopted by the Java community until now was the attitude *narima ing pandum* [57]. According to Koentjaraningrat [58], the

attitude *narima ing pandum* closely associated with the spiritual aspect has spawned a fundamental value and are not cracked swallowed era. *Narima ing pandum* is an attitude of acceptance in full of events in the past, the present and all the possibilities that could occur in the future. This is an attempt to lessen the disappointment if that happens then it does not match with what is expected [56, 57].

Based on preliminary research writer for the <sup>6</sup>mothers of children with autism in Javanese culture, participants were twelve people, using in-depth <sup>32</sup>interviews to explore the role of positive emotions towards nurturing mother did. Factors affecting mothers in shaping the personality of such respite is sincerity, patience, optimistic and grateful. The results showed that mothers in Javanese culture more accepting of the limitations, so that the child is more sincere, more patience in caring for children with autism, one of the factors that influence their attitudes *nrimo* is inside the mother. Mother grateful for the presence of children and believe that children are a gift from God, a child is a helper (intercession) in the Hereafter that mothers get the "place" glorious in God by having and caring for children with disabilities such as autistic children. This belief can reduce mother's negative emotion and turn it out to be thankful emotion.

Related positive parenting, mothers in Batak, the authors conducted a study to discover the <sup>3</sup>58 mothers of children with autism. The author in collaborating with six autism therapy and two with special needs autistic school in the city of Medan (North Sumatera). The study used a qualitative approach and analyzed using coding techniques according to Forrester [59]. Based on these results will be obtained an initial concept of hardiness, and resulted in maternal emotional conditions for caring for children, both before and after a diagnosis of autism are diagnosed with autism, and how well the factors that generate strong personality. The results showed that mothers have moderate hardiness category. Factors that affect hardiness of the mother in caring for children with autism is the support, confidence, compassion, and love, accept the situation of children, sincerity, knowledge and understanding, patience, responsibility and gratitude.

Overall factors affecting positive parenting mothers in Batak and Javanese have a lot in common, which is determined by the mother of positive emotions, such as sincerity, patience, optimism, and gratitude. However, the cultural differences that affect the personality of the mother to accept children with autism. In Javanese is *narima ing pandum* characterize fairly strong on a private individual to the cultural background of Java [60]. While the Batak tribe, parenting applied parents relied on *dalihan na tolu*.

*Dalihan na tolu* is a lifeline in the Batak culture governing family relationships, and customs that have been going on for generations which is supported by the three powers, namely; *hula, boru, dongan sabutuha*.

Batak tribe consists of several foux, such as the Batak Toba, Dairi, Simalungun, Karo and Mandailing [61]. Batak tribe notoriously upholds the culture they profess. One value in Batak related to parents and children that *hagabeon*, *hagabeon* is happiness in offspring of offspring means giving a life expectancy because it is a joy offspring invaluable for parents, family, and relatives. The Batak people, happiness in thoroughbred (gabe) feels complete in a family if the family had sons and daughters. A family Batak Gabe has not said if it has a son or daughter only just [62]. Being further emphasis in this value is for parents boy is the successor to his descendants so that boys often referred to as *sinuan buds*, shoots new meaning. It suggests that the boy had the privilege on the parent view, seen also from the comparison of the number of boys who wanted more than girls [61]. Based on this concept *dalihan na tolu*, parenting is more about how to establish a good relationship with other families, so that the Batak families of children with autism are likely to show negative emotions in the care of her son. For the mother took the process a long time to accept the presence of his son because his son is considered incapable of giving life expectancy, children are the happiness that is priceless for parents, family, and relatives (*hagabeon*).

This study focus on mothers of children with autism in Javanese and Batak and this means assessing the wealth and cultural distinctiveness which is expected to explain the phenomenon of careers of children with autism in Indonesia.

## 6. Conclusions

Overall, it can be concluded that the mother felt negative emotions such as refuse, anxiety, anger, self-blame, shame, and stress in the parenting process. But with the wide range of support from various parties such as the family and the husband, the mother had received her condition limitations. Acceptance mother indicated by the patient, sincere and positive thinking that all life events that have happened are the will of God. The reception will be her condition that is different from normal children in general, this makes the mother becomes more robust, resilient and positive impact in the care of children with special needs.

## References

- [1] American Psychiatric Association. Diagnostic and statistical manual of mental disorder, 5th ed. American Psychiatric Association, Washington DC; 2013. p. 50-59. <http://dsm.psychiatryonline.org/doi/book/10.1176/appi.books.9780890425596>
- [2] American Psychiatric Association. Diagnostic and statistical manual of mental disorder, 4th ed. American Psychiatric Association, Washington DC; 2000. p. 69-75. <http://dsm.psychiatryonline.org/doi/abs/10.1176/appi.books.9780890420249.dsm-iv-tr>
- [3] Sharpley CF, Bitsika V, Efremidis B. Influence of gender, parental health and perceived expertise of assistance upon stress, anxiety and depression among parents of children with autism. *Journal of Intellectual & Developmental Disability* 1997;22:19-28. <http://www.tandfonline.com/doi/pdf/10.1080/13668259700033261>
- [4] Hayes SA, Watson SL. The impact of parenting stress: A metaanalysis of studies comparing the experience of parenting stress in parents of children with and without autism spectrum disorder. *Journal of Autism and Developmental Disorders* 2013;43(3):629-642. <https://www.ncbi.nlm.nih.gov/pubmed/22790429>
- [5] Benson PR. The impact of child symptom severity on depressed mood among parents of children with ASD: The mediating role of stress proliferation. *Journal of Autism and Development Disorders* 2006;36:685-695. <https://link.springer.com/article/10.1007/s10803-006-0112-3>
- [6] Bromley J, Hare DJ, Davison K, Emerson E. Mothers supporting children with autistic spectrum disorders: Social support, mental health status and satisfaction with services. *Autism* 2004; 8(4):409-423. <http://journals.sagepub.com/doi/abs/10.1177/1362361304047224>
- [7] Davis NO, Carter AS. Parenting stress in mothers and fathers of toddlers with autism spectrum disorder: Associations with child characteristic. *Journal of Autism and Developmental Disorders* 2008;38(7):1278-1291. <https://www.ncbi.nlm.nih.gov/pubmed/18240012>
- [8] Hastings RP, Johnson E. Stress in UK families conducting intensive home-based behavioral intervention for their young child with autism. *Journal of Autism and Developmental Disorders* 2001;31:327-336. <https://link.springer.com/article/10.1023/A:1010799320795>



- [9] Konstantareas MM, Papageorgiou V. Effects of temperament, symptom severity and level of functioning on maternal stress in Greek children and youth with ASD. *Autism* 2006;10(6):593-607. <http://journals.sagepub.com/doi/abs/10.1177/1362361306068511>
- [10] Deater-Deckard K. Parenting stress and child adjustment: Some old hypotheses and new questions. *Clinical Psychology: Science and Practice* 2004;5(3):314-332. <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-2850.1998.tb00152.x/abstract>
- [11] Gau SS, Chou M, Chiang H, Lee JC, Wong CC, Chou WJ, et al. Parental adjustment, marital relationship and family function in families of children with autism. *Research in Autism Spectrum Disorders* 2012;6(1):263-270. <http://www.sciencedirect.com/science/article/pii/S1750946711000900#>
- [12] Brobst JB, Clopton JR, Hendrick SS. Parenting children with autism spectrum disorders: the couple's relationship. *Focus on Autism and Other Developmental Disabilities* 2009;24:38-49. <http://journals.sagepub.com/doi/pdf/10.1177/1088357608323699>
- [13] Hartley SL, Seltzer MM, Head L, Abbeduto L. Psychological wellbeing in fathers of adolescents and young adults with down syndrome, fragile x syndrome and autism. *Family Relations* 2012;61:327-342. <http://onlinelibrary.wiley.com/doi/10.1111/j.1741-3729.2011.00693.x/full>
- [14] Hastings RP. Child behavior problems and partner mental health as correlates of stress in mothers and fathers of children with autism. *Journal of Intellectual Disability Research* 2003;47(4-5):231-237. <http://onlinelibrary.wiley.com/doi/10.1046/j.1365-2788.2003.00485.x/abstract>
- [15] Osborne LA, Reed P. Stress and self-perceived parenting behaviors of parents of children with autistic spectrum conditions. *Research in Autism Spectrum Disorders* 2010;4(3):405-414. <http://www.sciencedirect.com/science/article/pii/S1750946709001147>
- [16] Kazdin AE. Child, parent and family dysfunction as predictors of outcome in cognitive behavioral treatment of antisocial children. *Behaviour Research and Therapy* 1995;33(3):271-281. <https://www.sciencedirect.com/science/article/pii/000579679400053M>
- [17] Osborne LA, McHugh L, Saunders. Parenting stress reduces the effectiveness of early teaching interventions for autistic spectrum disorders. *Journal of Autism*



- p>and Developmental Disorders 2008;38(6):1092-1103.
- <https://link.springer.com/article/10.1007/s10803-007-0497-7>
- [18] Lecavalier L, Leone S, Wiltz J. The impact of behaviour problems on caregiver stress in young people with autism spectrum disorders. *Journal of Intellectual Disability Research* 2006;50(3):172-183. <https://www.ncbi.nlm.nih.gov/pubmed/16430729>
  - [19] Karst J, Van Hecke AV. Parent and family impact of autism spectrum disorders: A review and proposed model for intervention education. *Clinical Child and Family Psychology Review* 2012;15(3):247-277. <https://www.ncbi.nlm.nih.gov/pubmed/22869324>
  - [20] Kitayama S, Cohen D. *Handbook of cultural psychology*. The Guildford Press, New York; 2007. p. 800-801. <https://www.guilford.com/books/Handbook-of-Cultural-Psychology/Kitayama-Cohen/9781606236116/reviews>
  - [21] Brooks JB. *The process of parenting*, 8th edn. McGraw-Hill Companies, New York; 2011. p.127-128. <https://www.textbooks.com/Process-of-Parenting-8th-Edition/9780073378763/Jane-B-Brooks.php>
  - [22] Marsella A.J. Culture-bound disorders. In: *The encyclopedia of spycology*. A.Kazdin (Ed). American Psychopatological Association Press, Washington, DC; 2000. p. 407-410. <http://www.apa.org/pubs/books/4600100.aspx>
  - [23] Corrigan P, McCorkle B, Schell B, Kidder K. Religion and spirituality in the lives of people with serious mental illnes. *Community Mental Health Journal* 2003; 39 (6):487-49. <https://www.ncbi.nlm.nih.gov/pubmed/14713056>
  - [24] Haj-Yahia MM, Sadan E. Issues in intervention with battered women in cillectivist societies. *Journal of Marital and Family Therapy* 2008;34(1):1-13. <https://www.ncbi.nlm.nih.gov/pubmed/18199177>
  - [25] Tucker AC. *Interpreting and Treating Autism in Javanese Indonesia*. [Dissertation]. University of California, Los Angeles (2013). p.46-50. <https://escholarship.org/uc/item/0wh189mq>
  - [26] Marsella AJ, Austin A, Grant B. Social change and psychosocial adaptation in the Pasific Island. In: *Handbook of cultural psychology*. Kitayama S, Cohen D (Eds). The Guildford Press, New York; 2007. p.803. <https://www.amazon.com/Handbook-Cultural-Psychology-Shinobu-Kitayama/dp/1606236113>
  - [27] Deater-Deckard K. Parenting stress and child adjustment: some old hypotheses and new questions. *Clinical Psychology: Science and Practice*, 2004; 5(3):1-2. <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-2850.1998.tb00152.x/abstract>

- [28] Phelps KW, McCammon SL, Wuensch KL, Golden JA. Enrichment, stress, and growth from parenting an individual with an autism spectrum disorder. *Journal of Intellectual and Developmental Disability* 2009;34(2):133-141. <https://www.ncbi.nlm.nih.gov/pubmed/19404834>
- [29] Abidin RR. Parenting stress index: Professional manual. 3rd ed. Psychological Assessment Resources, Florida; 1995.p.30. <http://www.nctsn.org/content/parenting-stress-index-short-form>
- [30] Gray DE. Everybody just freezes, everybody is just embarrassed: Felt and enacted stigma among parents of children with high functioning autism. *Sociology of Health and Illness* 2002;24(6):734-749. <http://onlinelibrary.wiley.com/doi/10.1111/1467-9566.00316/abstract>
- [31] Moes D, Koegel RL, Schreibman L, Loos LM. Stress profiles for mother and fathers of children with autism. *Psychological Reports* 1992;71:1272-1274. <http://journals.sagepub.com/doi/abs/10.2466/pr0.1992.71.3f.1272>
- [32] Gray DE. Coping over time: The parents of children with autism. *Journal of Intellectual Disability Research* 2006;50:970-976. <http://onlinelibrary.wiley.com/doi/10.1111/j.1365-2788.2006.00933.x/abstract>
- [33] Sastry A, Aguirre B. Parenting your child with Autism. New Harbinger Publications Inc., Oakland; 2012. p.71-75. <https://www.newharbinger.com/parenting-your-child-autism>
- [34] Hughes DA, Baylin J. Brain-Based Parenting. The neuroscience of caregiving for healthy attachment. W.W Norton & Company Inc, New York; 2012.p.3-5. <http://books.wwnorton.com/books/Brain-Based-Parenting/>
- [35] Ambady N, Bharucha J. Culture and the brain. *Current Directions in Psychological Science* 2009;18(6):342-345 <http://journals.sagepub.com/doi/abs/10.1111/j.1467-8721.2009.01664.x>
- [36] Pizzagalli DA. Frontocingulate dysfunction in depression: Toward biomarkers of treatment response. *Neuropsychopharmacology* 2010;36:1-24. <https://www.ncbi.nlm.nih.gov/pubmed/20861828>
- [37] Stuss DT, Gallup GG, Alexander MP. The frontal lobes are necessary for theory of mind. *Brain* 2001;124:279-286. <https://www.ncbi.nlm.nih.gov/pubmed/11157555>
- [38] Mayberg HS. Modulating dysfunctional limbic-cortical circuits in depression: Towards development of brain-based algorithms for diagnosis and optimised treatment. *British Medical Bulletin* 2003; 65:193-207. <https://www.ncbi.nlm.nih.gov/pubmed/12697626>

- [39] Graybiel AM, Aosaki T, Flaherty AW, Kimura M. The basal ganglia and adaptive motor control. *Science* 1994;265:1826–1831. <https://www.ncbi.nlm.nih.gov/pubmed/8091209>
- [40] Kalat JW. *Biopsikologi [Biological psychology]*. 9th ed. Salemba Humanika, Jakarta; 2007. p.137 [in Bahasa Indonesia]. <https://www.belbuk.com/biopsikologi-buku-1-edisi-9-p-12071.html>
- [41] Cohen DJ, Volkmar FR. *Handbook of autism and developmental disorders*. Wiley, New York; 1997. p.419-427. <http://onlinelibrary.wiley.com/book/10.1002/9781118911389>
- [42] Centers for Disease Control and Prevention. Prevalence of autism spectrum disorder among children aged 8 years: Autism and developmental disabilities monitoring network. *Morbidity and Mortality Weekly Report* 2014;63:1–21. <https://www.ncbi.nlm.nih.gov/pubmed/24670961>
- [43] Kementerian Pendidikan dan Kebudayaan Indonesia. *Pembangunan pusat layanan autis (PLA) di Indonesia [Development of autism services center (PLA) in Indonesia]*. Direktorat Pembinaan Pendidikan Khusus dan Layanan Khusus Pendidikan Dasar Direktorat Jenderal Pendidikan Dasar; 2014. p.3–5 [in Bahasa Indonesia]. [http://perpustakaan.kemdikbud.go.id/opac/index.php?p=show\\_detail&id=37334&keywords=](http://perpustakaan.kemdikbud.go.id/opac/index.php?p=show_detail&id=37334&keywords=)
- [44] Skinner D, Weisner TS. Sociocultural studies of families of children with intellectual disabilities. *Mental Retardation and Developmental Disabilities Research* 2007;13:302–331. <https://www.ncbi.nlm.nih.gov/pubmed/17979204>
- [45] Ling CYM, Mak WWS, Cheng JNS. Attribution model of stigma towards children with autism in Hong Kong. *Journal of Applied Research in Intellectual Disabilities*, 2010;23: 237–249. <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-3148.2008.00456.x/abstract>
- [46] Mak WWS, Ho AHY, Law W. Sense of coherence, parenting attitudes and stress among mothers of children with autism in Hong Kong. *Journal of Applied Research in Intellectual Disabilities*, 2007;20: 157–167. <http://onlinelibrary.wiley.com/doi/10.1111/j.1468-3148.2006.00315.x/abstract>
- [47] Shu BC. Quality of life of family caregivers of children with autism: The mother's perspective. *Autism*, 2009;13: 81–91. <https://www.ncbi.nlm.nih.gov/pubmed/19176578>

- [48] You HK, McGraw LA. The intersection of motherhood and disability: Being a "good" Korean mother to an imperfect child. *Journal of Comparative Family Studies* 2011;42(4):579-598. [https://www.jstor.org/stable/41604469?seq=1#page\\_scan\\_tab\\_contents](https://www.jstor.org/stable/41604469?seq=1#page_scan_tab_contents)
- [49] Shin JK. Help-seeking behaviors by Korean immigrants for depression. *Issues in Mental Health Nursing* 2002;23:461-476. <https://www.ncbi.nlm.nih.gov/pubmed/12079599>
- [50] Lee KK. Confucian tradition in the contemporary Korean family. In: *Confucianism and the family*. Slote WH, Devos GA, (Eds.). State University of New York Press, Albany, New York; 1998. p. 249-266. [https://books.google.co.id/books/about/Confucianism\\_and\\_the\\_Family.html?id=PSl01JK7dWcC&redir\\_esc=y](https://books.google.co.id/books/about/Confucianism_and_the_Family.html?id=PSl01JK7dWcC&redir_esc=y)
- [51] Kang SY, Howard D, Kim J, Payne JS, Wilton L, Kim W, et al. English language proficiency and lifetime mental health service utilization in a national representative sample of Asian Americans in the USA. *Journal of Public Health*, 2010;32(3): 431-439. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2924787/>
- [52] Chiang H. A parent education program for parents of chinese american children with autism spectrum disorder (ASDs): a pilot study. *Focus on Autism and;Other Developmental Disabilities* 2014;29(2):88-94. <http://journals.sagepub.com/doi/abs/10.1177/1088357613504990>
- [53] Giallo R, Wood C, Jellet R, Porter R. Fatigue, wellbeing and parental self-efficacy in mothers of children with an Autism Spectrum Disorder. *Autism* 2011. 17(4), 465-480. <https://www.ncbi.nlm.nih.gov/pubmed/21788255>
- [54] Huang Y, Ososkie J, Hsu T. Impact on marital and sibling relationships of Taiwanese families who have a child with a disability. *Journal of Comparative Family Studies* 2011;42(2):213-232. [https://www.jstor.org/stable/41604433?seq=1#page\\_scan\\_tab\\_contents](https://www.jstor.org/stable/41604433?seq=1#page_scan_tab_contents)
- [55] Casmini. Kecerdasan emosi dan kepribadian sehat dalam konteks budaya Jawa di Yogyakarta [emotional intelligence and healthy personality on the Javanese perspective of Yogyakarta]. [Dissertation] Universitas Gadjah Mada (2011). p. 2-5. [in Bahasa Indonesia]. [http://etd.repository.ugm.ac.id/index.php?mod=penelitian\\_detail&sub=PenelitianDetail&act=view&typ=html&buku\\_id=51607&obyek\\_id=4](http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=51607&obyek_id=4)
- [56] Rachmatullah A. Filsafat hidup orang Jawa (Javanese philosophy of life). *Siasat Pustaka*, Yogyakarta; 2011. p.51-53. [in Bahasa Indonesia]. [http://ucs.salatiga.go.id/index.php?p=show\\_detail&id=14708](http://ucs.salatiga.go.id/index.php?p=show_detail&id=14708)



- [57] Endraswara S. Berpikir positif orang Jawa [Positive thinking of Javanese people]. Narasi, Yogyakarta; 2017. p.25-28. [in Bahasa Indonesia]. <https://www.belbuk.com/berpikir-positif-orang-jawa-p-55307.html>
- [58] Koentjaraningrat. Pengantar ilmu antropologi [Introduction to anthropology]. Aksara Baru, Jakarta; 1983. p.230-251. [in Bahasa Indonesia]. <https://www.goodreads.com/book/show/9719459-pengantar-ilmu-antropologi>
- [59] Forrester MA.. Doing Qualitative Research in Psychology. A practical guide. Sage Publications, London; 2010. p.135-153. <https://uk.sagepub.com/en-gb/asi/doing-qualitative-research-in-psychology/book233180>
- [60] Martiarini N. Pengatasan kelelahan ego[ego depletion] pada individu dalam konteks budaya Jawa [overcome ego depletion amongst Javanese people,Thesis] Universitas Gadjah Mada (2012) p.33-35 [in Bahasa Indonesia]. [http://etd.repository.ugm.ac.id/index.php?mod=penelitian\\_detail&sub=PenelitianDetail&act=view&typ=html&buku\\_id=56441&obyek\\_id=4](http://etd.repository.ugm.ac.id/index.php?mod=penelitian_detail&sub=PenelitianDetail&act=view&typ=html&buku_id=56441&obyek_id=4)
- [61] Tinambunan D. Orang Batak kasar? membangun citra dan karakter [Batak people rude? building the image and character]. Elex Media Komputindo, Jakarta; 2010. p.vii-x. [in Bahasa Indonesia]. [http://books.google.co.id/books/about/Orang\\_Batak\\_kasar.html?id=LNTagbGmKWOC&redir\\_esc=y](http://books.google.co.id/books/about/Orang_Batak_kasar.html?id=LNTagbGmKWOC&redir_esc=y)
- [62] Harahap BH, Saihaan, HM. Orientasi nilai-nilai budaya Batak [Batak cultural orientation]: Suatu pendekatan terhadap perilaku Batak Toba dan Angkola-Mandailing [behavioral approach of Batak Toba dan Angkola-Mandailing]. Sanggar Willem Iskandar, Jakarta; 1987. p.133. <https://catalogue.nla.gov.au/Record/264371>



# ParentingStressofMothersin ChildrenwithAutismSpect

## ORIGINALITY REPORT

11%

SIMILARITY INDEX

%

INTERNET SOURCES

11%

PUBLICATIONS

%

STUDENT PAPERS

## PRIMARY SOURCES

1

. .. "Preface", KnE Social Sciences, 2018

Publication

2%

2

Ann-Marie Yamada, Anthony J. Marsella. "The Study of Culture and Psychopathology", Elsevier BV, 2013

Publication

1%

3

"Comprehensive Guide to Autism", Springer Nature, 2014

Publication

1%

4

Brian A. Boyd. "Examining the Relationship BetWeen Stress and Lack of Social Support in Mothers of Children With Autism", Focus on Autism and Other Developmental Disabilities, 2016

Publication

1%

5

C. D. Hoffman. "Children With Autism: Sleep Problems and Mothers' Stress", Focus on Autism and Other Developmental Disabilities, 06/11/2008

Publication

1%

6

Anat Zaidman-Zait, Pat Mirenda, Eric Duku, Tracy Vaillancourt et al. "Impact of personal and social resources on parenting stress in mothers of children with autism spectrum disorder", *Autism*, 2016

Publication

1%

7

Anthony J. Marsella, Ann Marie Yamada. "Culture and Psychopathology: Foundations, Issues, Directions", *Journal of Pacific Rim Psychology*, 2012

Publication

1%

8

Paul R. Benson. "The Impact of Child Symptom Severity on Depressed Mood Among Parents of Children with ASD: The Mediating Role of Stress Proliferation", *Journal of Autism and Developmental Disorders*, 2006

Publication

<1%

9

Pastor-Cerezuela, G., M. I. Fernandez-Andres, R. Tarraga-Minguez, and J. M. Navarro-Pena. "Parental Stress and ASD: Relationship With Autism Symptom Severity, IQ, and Resilience", *Focus on Autism and Other Developmental Disabilities*, 2015.

Publication

<1%

10

Laurence I. Sugarman, Brian L. Garrison, Kelsey L. Williford. "Symptoms as Solutions: Hypnosis and Biofeedback for Autonomic

<1%

Regulation in Autism Spectrum Disorders",  
American Journal of Clinical Hypnosis, 2013

Publication

11

"Handbook of Early Intervention for Autism Spectrum Disorders", Springer Nature, 2014

Publication

<1 %

12

Anthony J. Marsella. "Culture and conflict: Understanding, negotiating, and reconciling conflicting constructions of reality", International Journal of Intercultural Relations, 2005

Publication

<1 %

13

Anthony J. Marsella. "Chapter 9 Internationalizing the Clinical Psychology Curriculum: Foundations, Issues, and Directions", Springer Nature, 2011

Publication

<1 %

14

Hill-Chapman, Crystal R., Teresa K. Herzog, and Ralitsa S. Maduro. "Aligning over the child: Parenting alliance mediates the association of autism spectrum disorder atypicality with parenting stress", Research in Developmental Disabilities, 2013.

Publication

<1 %

15

Angelo Picardi, Antonella Gigantesco, Emanuele Tarolla, Vera Stoppioni et al. "Parental Burden and its Correlates in Families of Children with Autism Spectrum Disorder: A

<1 %

## Multicentre Study with Two Comparison Groups", Clinical Practice & Epidemiology in Mental Health, 2018

Publication

16

Ewa Pisula, Anna Porębowicz-Dörsmann. "Family functioning, parenting stress and quality of life in mothers and fathers of Polish children with high functioning autism or Asperger syndrome", PLOS ONE, 2017

Publication

<1 %

17

Margaret M. Manning, Laurel Wainwright, Jillian Bennett. "The Double ABCX Model of Adaptation in Racially Diverse Families with a School-Age Child with Autism", Journal of Autism and Developmental Disorders, 2010

Publication

<1 %

18

ATSUROU YAMADA. "Emotional distress and its correlates among parents of children with pervasive developmental disorders : Distress of parents of children with PDD", Psychiatry and Clinical Neurosciences, 12/07/2007

Publication

<1 %

19

Flippin, M., and E. R. Crais. "The Need for More Effective Father Involvement in Early Autism Intervention: A Systematic Review and Recommendations", Journal of Early Intervention, 2011.

Publication

<1 %

- 
- |   |  |                |
|---|--|----------------|
| <div style="background-color: #003366; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">20</div> | <p>Efrosini Kalyva. "Chapter 23 Collaboration Between Parents of Children with Autism Spectrum Disorders and Mental Health Professionals", InTech, 2013</p> <p>Publication</p>   | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #800080; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">21</div> | <p>Eunha Kim, Jowon Hwang, Sukyoung Park. "Acceptance of Disability and Hwa-Byung among Korean Mothers of Children with Developmental Disabilities", International Journal of Disability, Development and Education, 2017</p> <p>Publication</p> | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #6B8E23; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">22</div> | <p>Abu Sadat Nurullah. "'It's Really a Roller Coaster': Experience of Parenting Children with Developmental Disabilities", Marriage &amp; Family Review, 2013</p> <p>Publication</p>   | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #000080; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">23</div> | <p>Pilar Pozo, Encarnacion Sarria, Angeles Brioso. "Chapter 6 Psychological Adaptation in Parents of Children with Autism Spectrum Disorders", InTech, 2011</p> <p>Publication</p>   | <p>&lt;1 %</p> |
| <hr/>   |  |                |
| <div style="background-color: #005596; color: white; width: 40px; height: 40px; display: flex; align-items: center; justify-content: center; margin-bottom: 10px;">24</div> | <p>Hsu-Min Chiang. "A Parent Education Program for Parents of Chinese American Children With Autism Spectrum Disorders (ASDs)", Focus on Autism and Other Developmental Disabilities, 2013</p>   | <p>&lt;1 %</p> |



25

Linda M. Raffaele Mendez, Karen Berkman, Gary Yu Hin Lam, Charisse Dawkins. "Fostering Resilience among Couples Coparenting a Young Child with Autism: An Evaluation of ", The American Journal of Family Therapy, 2019

Publication

---

<1 %

26

Geovanna Rodriguez, Sigan L. Hartley, Daniel Bolt. "Transactional Relations Between Parenting Stress and Child Autism Symptoms and Behavior Problems", Journal of Autism and Developmental Disorders, 2019

Publication

---

<1 %

27

Hedda Meadan, Julia B. Stoner, Maureen E. Angell. "Fathers of children with autism: perceived roles, responsibilities, and support needs", Early Child Development and Care, 2015

Publication

---

<1 %

28

Paulo A. Graziano, Joseph P. McNamara, Gary R. Geffken, Adam Reid. "Severity of Children's ADHD Symptoms and Parenting Stress: A Multiple Mediation Model of Self-Regulation", Journal of Abnormal Child Psychology, 2011

Publication

---

<1 %

29

Comprehensive Guide to Autism, 2014.

&lt;1 %

30

Naomi Ekas, Thomas L. Whitman. "Autism Symptom Topography and Maternal Socioemotional Functioning", American Journal on Intellectual and Developmental Disabilities, 2010

Publication

&lt;1 %

31

Angela Sim, Sharmila Vaz, Reinie Cordier, Annette Joosten, Dave Parsons, Cally Smith, Torbjörn Falkmer. "Factors associated with stress in families of children with autism spectrum disorder", Developmental Neurorehabilitation, 2017

Publication

&lt;1 %

32

Nazilla Khanlou, Nasim Haque, Nida Mustafa, Luz Maria Vazquez, Anne Mantini, Jonathan Weiss. "Access Barriers to Services by Immigrant Mothers of Children with Autism in Canada", International Journal of Mental Health and Addiction, 2017

Publication

&lt;1 %

33

Jeffrey S. Karst, Amy Vaughan Van Hecke. "Parent and Family Impact of Autism Spectrum Disorders: A Review and Proposed Model for Intervention Evaluation", Clinical Child and Family Psychology Review, 2012

&lt;1 %

---

Exclude quotes	On	Exclude matches	Off
Exclude bibliography	On		